



An Coimisiún um
Rialáil Cumarsáide
Commission for
Communications Regulation

2024 Programme of Measurement of Non-Ionising Radiation

First Interim Report

Interim Report

Reference: 24/54

Date: 26/06/2024

An Coimisiún um Rialáil Cumarsáide
Commission for Communications Regulation

1 Lárcheantar na nDugaí, Sráid na nGildeanna, BÁC 1, Éire, D01 E4X0.
One Dockland Central, Guild Street, Dublin 1, Ireland, D01 E4X0.
Teil | Tel +353 1 804 9600 Suíomh | Web www.comreg.ie

Content

Section	Page
1: Introduction.....	3
2: Sites Surveyed and Summary of Measurement Results.....	4
2.1 Sites surveyed between January - March 2024	4
2.2 Summary of Measurement Results.....	5
2.3 View Individual Site Survey Reports	5
Appendix 1: Explanatory Notes.....	6
Note 1: Radio Frequency Spectrum	6
Note 2: Wireless Telegraphy Licences.....	8
Note 3: Non-Ionising Radiation	8
Note 4: International Commission on Non-Ionizing Radiation Protection (ICNIRP)	8
Note 5: General Authorisation.....	10
Note 6: Aggregate Level of Non-Ionising Radiation	10
Note 7: The Electromagnetic Spectrum	10
Note 8: Frequency	11

1: Introduction

1. The Commission for Communications Regulation (“ComReg”) is the national authority responsible for the management of Ireland’s *radio frequency spectrum*¹. Radio spectrum is used to support a wide range of applications and electronic communications services, such as radio and television broadcasting, mobile telephony, emergency services communications, and wireless broadband.
2. It is a condition of various *Wireless Telegraphy licences* issued by ComReg that licensees must ensure that *non-ionising radiation (“NIR”)* emissions from each transmitter operated under the licence must be within the limits set down in the guidelines published by the *International Commission on Non-Ionizing Radiation Protection (“ICNIRP”)* (“ICNIRP Exposure Limits”)². Levels of NIR emissions from a licensed transmitter must not exceed the ICNIRP Exposure Limits in any part of the site or surrounding area to which the general public has access. This is also a condition of a *General Authorisation* for the provision of an electronic communications network (“ECN”) and/or service (“ECS”).
3. To assess compliance with the ICNIRP Exposure Limits, ComReg conducts a “Programme of Measurement of Non-Ionising Radiation” (“Programme of Measurement”), under which NIR surveys are conducted in proximity to a sample number of licensed transmitter sites nationwide each year. Each survey involves measurement of NIR levels at the point of highest exposure (in a public area) associated with the relevant transmitter.
4. This report forms part of an ongoing series of interim reports which outline ComReg’s Programme of Measurements and summarises the results of the first set of site surveys (20 sites) undertaken during the 2024 programme. These surveys were conducted between January and March 2024 by Compliance Engineering Ireland Ltd., which was contracted by ComReg to assist it with the Programme of Measurement.

¹ See the Appendix for explanatory notes on the items highlighted in Italics.

² Note that these measurements were conducted using the 2020 ICNIRP Guidelines.

2: Sites Surveyed and Summary of Measurement Results

2.1 Sites surveyed between January - March 2024

	County/City	Address	Site Ids	Site within 50m
1.	Carlow	Strawhall Industrial Estate	VOD_CW015	VOD_CW015, EIR_CW_3345
2.	Carlow	Barrowside Business Park	VOD_CW049	VOD_CW049, IMA_CW003, EIR_CW_4522, THR_CL0041
3.	Dublin	Mayor Street Upper	VOD_DX172	VOD_DX172, EIR_DN_1028, THR_DU1199, THR_DU1200, THR_DU1391, THR_DU1197, THR_DU1198
4.	Dublin	Jameson Distillery	EIR_DN_2788	EIR_DN_2788, VOD_DN657, THR_DU0015
5.	Dublin	ESB East Wall Road	EIR_DN_1346	THR_DU0026, VOD_DN877, EIR_DN_1346
6.	Dublin	Middle Abbey Street	EIR_DN_1097	VOD_DNEA1, EIR_DN_1097, THR_DU0307
7.	Dublin	Millfield Shopping Centre	VOD_DX193	VOD_DX193, THR_DU1154, EIR_DN_1937
8.	Dublin	Clayton Dublin Airport	VOD_DN536	VOD_DN536, EIR_DN_3572, THR_DU1606
9.	Dublin	Clyde House	VOD_DN121	THR_DU1059, EIR_DN_1129, VOD_DN121
10.	Dublin	Verve Gym	VOD_DN791	THR_DU0384, VOD_DN791, EIR_DN_3567
11.	Dublin	Howth Garda Station	VOD_DN824	THR_DU0940, VOD_DN824, EIR_DN_1183
12.	Dublin	Abbey Shopping Centre	EIR_LH_1621	THR_LO0117, VOD_LH052, EIR_LH_1621
13.	Louth	Newtownstalaban	VOD_LH065	VOD_LH065, THR_LO0090, EIR_LH_4348
14.	Meath	ESB Ratholdren Road	EIR_MH_3477	EIR_MH_3477, IMA_MH001, VOD_MH026, THR_MT0186
15.	Meath	Kells Garda Station	IMA_MH038	VOD_MH090, THR_MT0143, IMA_MH038, EIR_MH_4277
16.	Meath	Main Street Dunshaughlin	VOD_MH138	VOD_MH138, THR_MT0231, EIR_MH_1408
17.	Kildare	ESB Naas	EIR_KE_1815	VOD_KE052, THR_KD0194, EIR_KE_1815

18.	Kildare	ESB Moneycooley	EIR_KE_1812	THR_KD0176, VOD_KE126, EIR_KE_1812, IMA_KE014
19.	Kildare	Eir Exchange Celbridge	EIR_KE_4489	THR_KD0222, EIR_KE_4489, VOD_KECEL
20.	Kildare	Morristown Road Newbridge	EIR_KE_1821	THR_KD0178, VOD_KECM1, EIR_KE_1821

2.2 Summary of Measurement Results

5. At each of the 20 sites surveyed, *the aggregate level of Non-Ionising Radiation* measured was found to fall below the ICNIRP Exposure Limits for the general public.

2.3 View Individual Site Survey Reports

6. Further details of the measurements and how they were conducted are set out in separate survey reports for each site. Copies of the reports are available on Site viewer (<http://siteviewer.comreg.ie>), an on-line facility provided by ComReg, which shows the locations of GSM, UMTS (3G), LTE (4G) and NR (5G) mobile phone base stations throughout Ireland on a map.

Appendix 1: Explanatory Notes

Note 1: Radio Frequency Spectrum

A 1.1 In physics the radio frequency spectrum is commonly defined as that part of the *electromagnetic spectrum* at frequencies between 3 kHz and 300 GHz. In the context of radiocommunications, the International Telecommunications Union (“ITU”) characterises the radio spectrum as the part of the electromagnetic spectrum at frequencies lower than 3 000 GHz³.

A 1.2 Radio spectrum is used to support a wide range of applications and electronic communications services, such as radio and television broadcasting, mobile telephony, emergency services communications and wireless broadband.

A 1.3 Radio technologies use electromagnetic waves to send information in free space. Many different radio applications can be used at the same time by employing waves of different *frequency*.

A 1.4 Radio spectrum is divided into "bands" (i.e. ranges of frequencies) and different applications use different bands. For example:

- terrestrial TV broadcasting networks (e.g. Saorview) transmit in the frequency range 470 - 790 MHz;
- mobile phone networks in the 700, 800, 900, 1800, 2100 MHz bands⁴;
- domestic cordless phones in the range 1880 – 1900 MHz;
- Wi-Fi in the frequency range 2400 – 2483.5 MHz (and also 5150 – 5350 MHz and 5470 – 5725 MHz);
- while satellite communications tend to use even higher frequencies.

A 1.5 See Figure below.

³ No. 1.5 of Article 1 of the Radio Regulations, Edition of 2016, International Telecommunications Union

⁴ 700 Band: 758 – 788 MHz downlink, 703 – 733 MHz uplink

800 band: 791 – 821 MHz downlink, 832 – 862 MHz uplink

900 band: 880 – 915 MHz uplink, 925 – 960 MHz downlink

1800 band: 1700 – 1785 MHz uplink, 1805 – 1880 MHz downlink

2100 band: 1920 – 1980 MHz uplink, 2110 – 2170 MHz downlink




Figure 1: The Radio Frequency Spectrum (not to scale)⁵

⁵ Subdivision of radio spectrum as per No. 2.1 of Article 2 of the Radio Regulations, Edition of 2016, International Telecommunications Union (ITU)

Note 2: Wireless Telegraphy Licences

- A 1.6 ComReg is the authority charged with the authorisation of radio equipment in Ireland, except for Ships Radio. ComReg has set down specific rules and regulations for the possession and use of many forms of radio equipment. These regulations can specify the licensing regime or exempt certain radio equipment from licensing.
- A 1.7 The possession and use of radio equipment in Ireland is governed by the Wireless Telegraphy Act 1926 (Act No 45 of 1926) (as amended), which requires that an appropriate Wireless Telegraphy licence must be held, unless a licence-exemption applies. ComReg licenses, among other things, wireless systems, such as mobile phone and wireless broadband networks, emergency services communications, satellite earth stations, point-to-point links and television and radio broadcasting.

Note 3: Non-Ionising Radiation

- A 1.8 Radio waves and microwaves used for wireless telecommunications are a form of non-ionising radiation. This radiation is characterised by energy per photon less than approximately 12 eV, wavelengths greater than 100 nm, or frequencies lower than 3×10^{15} Hz.
- A 1.9 It includes all radiations and fields of the electromagnetic spectrum that do not normally have sufficient energy to produce ionisation in matter and have sufficient energy only for excitation. As such, it does not break bonds that hold molecules in cells together.
- A 1.10 According to ICNIRP, the known biological effects at very high radiation intensity are, depending on frequency, heating, burns, accumulation of charge on body surface and disturbance of nerve responses and muscle stimulation.

Note 4: International Commission on Non-Ionizing Radiation Protection (ICNIRP)

- A 1.11 ICNIRP⁶ is a non-governmental organisation formally recognised by the World Health Organisation. It is an independent body of scientific experts in fields relating to NIR, such as medicine, dermatology, ophthalmology, epidemiology, biology, photobiology, physiology, physics, electrical engineering and dosimetry.

⁶ For further information see www.icnirp.org.

A 1.12 ICNIRP provides guidance and recommendations on protection from exposure to NIR. The ICNIRP Exposure Limits were developed following reviews of peer-reviewed scientific literature, including thermal and non-thermal effects, and are based on evaluations of biological effects that have been established to have health consequences.

A 1.13 ICNIRP has defined two separate sets of guideline exposure limits for occupational and general public exposure:

(1) Occupational Exposure

The occupationally exposed population consists of adults who are generally exposed under known conditions and are trained to be aware of potential risk and to take appropriate precautions (e.g. telecommunications engineers working on a transmitter).

(2) General Public Exposure

The general public comprises individuals of all ages and of varying health status which might increase the variability of the individual susceptibilities. In many cases, members of the public are unaware of their exposure to electromagnetic fields. Moreover, individual members of the public cannot reasonably be expected to take precautions to minimise or avoid exposure. Therefore, ICNIRP advises more stringent exposure restrictions for the public than for the occupationally exposed population.

A 1.14 The ICNIRP Exposure Limits are set out in two documents:

“Guidelines for Limiting Exposure to Electromagnetic Fields (100 kHz to 300 GHz)”, ICNIRP, published in Health Physics 118(5): 483-524; 2020.

<https://www.icnirp.org/cms/upload/publications/ICNIRPrfgdl2020.pdf>

and

“Guidelines for Limiting Exposure to Time-Varying Electric and Magnetic Fields (1 Hz - 100 kHz)”, ICNIRP, published in Health Physics 99(6):818-836; 2010.

<https://www.icnirp.org/cms/upload/publications/ICNIRPLFgdl.pdf>

Note 5: General Authorisation

- A 1.15 Under European and national law any person intending to provide an electronic communications network or service shall, before doing so, notify the relevant national authority (ComReg in Ireland) of their intention to provide such a network/service.
- A 1.16 A person is deemed to be authorised to provide an electronic communications network or service once a completed notification has been received by ComReg. There may also be a requirement to hold a Wireless Telegraphy Licence depending on the service provided and equipment used to provide same. Persons holding an authorisation are subject to the conditions set out in a General Authorisation, one of which stipulates that the Authorised Person shall comply with any radiation emission standards adopted and published by ICNIRP.

Note 6: Aggregate Level of Non-Ionising Radiation

- A 1.17 At any measurement location it is most likely that numerous signals transmitted on different frequencies will be detectable. For example, the overall electromagnetic field may comprise contributions on many frequencies (e.g. multiple signals from several different mobile operators with antennas on the same mast) from the adjacent transmitter site and also secondary contributions from more distant transmitters (e.g. adjacent cell mobile base stations, TV transmitters serving the area etc.).
- A 1.18 ICNIRP has specified a means of assessing situations of simultaneous exposure to fields of different frequencies. Where applicable, additivity is examined separately for the effects of electrical stimulation effects (relevant up to 100 kHz) and thermal considerations (relevant above 100 kHz). The ICNIRP Guideline documents set out in detail how simultaneous exposure to multiple frequency fields is assessed.

Note 7: The Electromagnetic Spectrum

- A 1.19 The electromagnetic spectrum is the range of all possible frequencies of electromagnetic radiation. It extends from radio waves at lower frequencies, through microwaves and visible light (a very small part of the spectrum) all the way to the extremely high frequency gamma rays that are a product of radioactive atoms. The electromagnetic spectrum contains both non-ionising and ionising radiation as shown in Figure 2.

The Electromagnetic Spectrum




Figure 2: The Electromagnetic Spectrum

Note 8: Frequency

A 1.20 The frequency of an electromagnetic wave is the number of cycles it repeats in one second. It is expressed in Hertz (Hz) or a multiple of Hertz, e.g. kHz (kilohertz - 1,000 Hertz), MHz (megahertz - 1,000,000 Hertz) or GHz (gigahertz - 1,000,000,000 Hertz).